

Report No. : CE/2005/B4981 EPOXYSET INC.

1 INDUSTRIAL CIRCLE, LINCOLN, RI 02865, USA Date : 2005/11/28

> Page : 1 of 4

The following merchandise was (were) submitted and identified by the client as:

Type of Product SILICONE Style/Item No SC-550LV-B Buver/Order No KIRAN PATEL Sample Received 2005/11/22

<u>Testing Date</u> 2005/11/22 TO 2005/11/28

The test results of Pb, Cd, Hg, Cr+6, PBB and PBDE for the Conclusion

submitted sample comply with the requirements of RoHS

(2002/95/EC).

igned for and on behalf of SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



EPOXYSET INC. Report No. : CE/2005/B4981

1 INDUSTRIAL CIRCLE, LINCOLN, RI 02865, USA Date : 2005/11/28

Page : 2 of 4

Test Result

PART NAME NO.1 : WHITE PASTE

PASS

-		,			IASS
Test Item (s):	Unit	Method	MDL	Result	Limit of
				No.1	ROHS
Monobromobiphenyl	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	-
Dibromobiphenyl	%		0.0005	N.D.	_
Tribromobiphenyl	%		0.0005	N.D.	-
Tetrabromobiphenyl	%		0.0005	N.D.	-
Pentabromobiphenyl	%		0.0005	N.D.	-
Hexabromobiphenyl	%		0.0005	N.D.	-
Heptabromobiphenyl	%		0.0005	N.D.	-
Octabromobiphenyl	%		0.0005	N.D.	-
Nonabromobiphenyl	%		0.0005	N.D.	-
Decabromobiphenyl	%		0.0005	N.D.	-
Total PBBs(Polybrominated	%	7	-	N.D.	0.1
biphenyls)/Sum of above					
Monobromobiphenyl ether	%		0.0005	N.D.	-
Dibromobiphenyl ether	%	7	0.0005	N.D.	-
Tribromobiphenyl ether	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC- (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	-
Tetrabromobiphenyl ether	%		0.0005	N.D.	-
Pentabromobiphenyl ether	%		0.0005	N.D.	-
Hexabromobiphenyl ether	%		0.0005	N.D.	-
Heptabromobiphenyl ether	%		0.0005	N.D.	-
Octabromobiphenyl ether	%		0.0005	N.D.	-
Nonabromobiphenyl ether	%		0.0005	N.D.	-
Decabromobiphenyl ether	%		0.0005	N.D.	-
Total PBBEs(PBDEs)	%		-	N.D.	-
(Polybrominated biphenyl					
ethers)/Sum of above]			
Total of Mono to Nona-	%		-	N.D.	0.1
brominated biphenyl ether.					
(Note 5)	I				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



EPOXYSET INC. Report No. : CE/2005/B4981

1 INDUSTRIAL CIRCLE, LINCOLN, RI 02865, USA Date : 2005/11/28

> Page : 3 of 4

> > **PASS**

Test Item (s):	Unit	Method	MDL	Result	Limit of ROHS
				No.1	
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.	1000
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.	100
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.	1000
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	N.D.	1000

- NOTE: (1) N.D. = Not detected (<MDL)
 - (2) ppm = mg/kg
 - (3) MDL = Method Detection Limit
 - (4) " " = Not Regulation
 - (5) Decabromodiphenyl ether (DecaBDE) in polymeric applications is Commission Decision of 13 Oct 2005 amending Directive 2002/95/EC under document 2005/717/EC.
 - (6) PBBEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBBOs.



EPOXYSET INC. Report No. : CE/2005/B4981 1 INDUSTRIAL CIRCLE, LINCOLN, RI 02865, USA

Date : 2005/11/28

Page : 4 of 4

